




CODE	SI-06	INTERIOR	
Sign name/ No.	Ceiling mounted, door or wall mounted		
Dimensions:	150(h) x 485(w)mm single sided		
Quantity:	Ceiling mounted	x4 (FOUR)	
Location/ Position:	According to the architect (refer to signage plan)		
Description:	Purpose made signage VISTA SYSTEMS or similar approved, consisting of natural anodized extruded aluminium profile frame, with removable translucent cover and metal endcaps fixed with stainless steel screws.		
Colour:	White	Blue	
RGB:	283/234/230	13/50/218	
Reflective/light box:	Photoluminescent		
Text font:	Arial		
Text size:	40mm, 30mm, 20mm or and/or pictogram		
Fixing/ mounting detail:	17mm Ø Frameless adjustable suspension kit "Cosign" or similar approved (Code: CC15KIT4) complete with ceiling mountings and stainless steel suspension cables with INOX finish		
Fixing/ Mounting detail:	Suspended from ceiling @ 2100 UFFL with stainless steel woven cables and ceiling fixtures according to manufacturer.		

CEILING MOUNTED SIGN

GENERAL NOTES:
All signage specifications to be in line with SABS standards and to comply with all SANS regulations
Manufacturer to provide min. 5 year guarantee on ALL manufactured items and artwork for weather proofing and UV protections, where applicable
All foundations and fixing details to be in accordance with engineer recommendations and manufacturer's specifications to be outlined in NDoH branding Specifications Document

NOTES

UNDER NO CIRCUMSTANCES MAY THIS DOCUMENT BE REPRODUCED WITHOUT THE CONSENT OF DEJONG DESIGN STUDIO CO.

DRAWINGS MAY NOT BE SCALED.
ALL DIMENSIONS AND HEIGHTS MUST BE CORRELATED BEFORE ANY WORK COMMENCES OR BEFORE MATERIALS ARE ORDERED.

IT IS THE CONTRACTOR'S RESPONSIBILITY TO SET-OUT CONSTRUCTION LINES AND TO MARK SITE WITH REFERENCE TO SITE BOUNDARIES, BUILDING LINES SERVITUDES AND ESPECIALLY IN CIRCUMSTANCES WHERE WORK CONNECT WITH EXISTING CONSTRUCTION.

ALL FLOOR LEVEL HEIGHTS INDICATED ON DRAWINGS REFER TO UNFINISHED LEVELS AND ANY AMBIGUOUS OR CONTRADICTORY INFORMATION SHOULD IMMEDIATELY BE REPORTED TO THE ARCHITECT.

A FULL SET OF DRAWINGS SHOULD BE KEPT ON SITE BY THE CONTRACTOR. ALL DIMENSIONS INDICATE ON DRAWINGS SHOULD BE SET-OUT ON A LEVEL SURFACE.

THE CONTRACTOR SHOULD MAKE USE OF CORNER PROFILES MARKED ON 85MM BRICK GAGE, UNLESS DIFFERENTLY SPECIFIED.

THE CONTRACTOR IS RESPONSIBLE TO OBTAIN APPROVED DAMP PROOF COURSE IN EXTERNAL WALLS AND DAMP PROOF MEMBRANES UNDER FLOOR SLABS.

THE QUALITY OF ALL MATERIALS AND WORKMANSHIP SHOULD COMPLY WITH THE RELEVANT S.A.B.S. SPECIFICATIONS AND STANDARDS.

ALL MINIMUM STANDARDS AS SET OUT IN THE NATIONAL BUILDING REGULATIONS AND THE ACT SANS 1040 ARE ALSO APPLICABLE IN SITUATIONS WHERE NOT SPECIFICALLY REFERRED TO.

ALL GEYSERS AND WARM WATER MUST COMPLY WITH SANS 966 AND SANS 10252-1.

INSTALLATION MUST COMPLY WITH SANS 10252-1-4.

UPVC PIPES MUST COMPLY WITH SANS 966 ALL COPPER PIPES MUST COMPLY WITH SANS 466 ALL DRAIN PIPES MUST COMPLY WITH SANS 10252-1-4.

ALL MIXERS MUST COMPLY WITH SANS 226.

1026, SANS 1080-35 EN 1008-37,

No	REVISION	DATE	APPROVED

DeStudio Architects & Urban Planners
 Reg no : CK 200611571/23
 2 Second Street, Po Box 29579,
 Dan Pienaar, Bloemfontein
 9010
 Tel: +27 (0) 51 436 0130
 Fax: +27 (0) 51 436 1177

Acidie de Jong
 Pr. Arch 21158, Pr. Pln A1422/011
 +27 (0) 84 400 9364
Alphonse de Jong
 Pr. Arch 7832
 +27 (0) 82 945 0777

info@DeStudio.co.za
www.DeStudio.co.za

Architects & Urban Planners


PROFESSIONAL ARCHITECT
ADELE DE JONG
 12:21 PM (Africa/Johannesburg) on 01 Jun 2021

PROGRAMME MANAGER



The logo for Independent Development Trust (IDT) features a stylized sun with rays above the lowercase letters 'idt' in a bold, blue font. Below the letters, the words 'Independent development trust' are written in a smaller, blue, sans-serif font.

CLIENT



LOGOBATE PHC PROJECT

UPGRADE AND REFURBISHMENT TO
EXISTING HEALTH FACILITY,
ON PORTION 60 ON THE FARM 219
KURUMAN DISTRICT
NORTHERN CAPE

SIGN SCHEDULE		DRAWING	
DRAWN		DATE	
A.d./J/ A.c.d./J		21/9/2026	
APPROVED		DATE	
		-	
SCALE		ISSUED	
AS INDICATED		21/9/2026	
DRAWING STATUS		00 DRAWING No	
TENDER DRAWINGS		14-158 P4 22	